





Diamantbohrer. Diamond burs. Fraises diamantees .Fresas de diamante

FG. 314 Medium ● ISO No. 806.314.524. Diamond bur												
	ISO 001/008 0.8/19.0	ISO 001/010 1.0/19.0	ISO 001/012 1.2/19.0	ISO 001/014 1.4/19.0	ISO 001/016 1.6/19.0	ISO 001/018 1.8/19.0	ISO 001/020 2.0/19.0	ISO 001/023 2.3/19.0	ISO 001/025 2.5/19.0	ISO 001/029 2.9/19.0		
Order No.	001-/BR-	001-008M	001-010M	001-012M	001-014M	001-016M	001-018M	001-020M	001-023M	001-025M	001-029M	
												
ISO 002/012 2.3/19.0	ISO 002/014 2.3/19.0	ISO 002/016 3.5/19.0	ISO 002/018 3.5/19.0	ISO 010/010 1.0/19.0	ISO 010/012 1.2/19.0	ISO 010/014 1.6/19.0	ISO 010/016 1.8/19.0	ISO 019/010 2.3/19.0	ISO 019/010 2.3/19.0	ISO 019/010 2.3/19.0		
Order No.	002-/BC-	002-012M	002-014M	002-016M	002-018M	010-/SI-	010-010M	010-012M	010-014M	010-016M	019-/DI-	019-010M
												
ISO 019/014 3.2/19.0	ISO 038/032 5.0/19.0	ISO 039/035 7.0/20.0	ISO 041/025 0.5/19.0	ISO 042/040 2.0/19.0	ISO 042/050 2.0/19.0	ISO 055/045 2.0/19.0	ISO 055/045 2.0/19.0	ISO 055/045 2.0/19.0	ISO 055/045 2.0/19.0	ISO 055/045 2.0/19.0	ISO 055/045 2.0/19.0	ISO 055/045 2.0/19.0
Order No.	019-014M	038-/EX-	038-032M	039-/EX-	039-035M	041-/WF-	041-025M	042-/WR-	042-040M	042-050M	055-/WR-	055-045M
												
ISO 068/042 1.8/19.0	ISO 109/010 4.0/19.0	ISO 109/012 4.0/19.0	ISO 109/014 4.0/19.0	ISO 110/014 6.0/21.0	ISO 110/016 6.0/21.0	ISO 111/012 8.0/22.0	ISO 111/014 8.0/22.0	ISO 111/012 8.0/22.0	ISO 111/014 8.0/22.0	ISO 111/014 8.0/22.0	ISO 111/014 8.0/22.0	ISO 111/014 8.0/22.0
Order No.	068-/WR-	068-042M	109-/SF-	109-010M	109-012M	109-014M	110-/SF-	110-014M	110-016M	111-/SF-	111-012M	111-014M
												
ISO 111/016 8.0/22.0	ISO 138/010 4.0/19.0	ISO 138/012 4.0/19.0	ISO 138/014 4.0/19.0	ISO 140/014 6.0/21.0	ISO 141/012 8.0/22.0	ISO 141/014 8.0/22.0	ISO 141/016 8.0/22.0	ISO 141/016 8.0/22.0	ISO 141/016 8.0/22.0	ISO 141/016 8.0/22.0	ISO 141/016 8.0/22.0	ISO 141/016 8.0/22.0
Order No.	111-016M	138-/SR-	138-010M	138-012M	138-014M	140-/SF-	140-014M	141-/SF-	141-012M	141-014M	141-016M	150-/EX-
												
ISO 150/012 0.2/21.0	ISO 164/012 6.0/21.0	ISO 165/014 8.0/22.0	ISO 166/014 10.0/24.0	ISO 166/016 10.0/24.0	ISO 166/018 10.0/24.0	ISO 169/010 3.0/19.0	ISO 170/012 4.0/19.0	ISO 169/010 3.0/19.0	ISO 170/012 4.0/19.0	ISO 169/010 3.0/19.0	ISO 170/012 4.0/19.0	ISO 170/012 4.0/19.0
Order No.	150-012M	164-/TC-	164-012M	165-/TC-	165-014M	165-/TC-	166-014M	166-016M	166-018M	170-/TF-	169-010M	170-012M
												
ISO 170/014 4.0/19.0	ISO 170/016 4.0/19.0	ISO 171/014 6.0/21.0	ISO 171/016 6.0/21.0	ISO 171/018 6.0/21.0	ISO 171/021 6.0/21.0	ISO 172/010 8.0/22.0	ISO 172/012 8.0/22.0	ISO 172/014 8.0/22.0	ISO 172/014 8.0/22.0	ISO 172/016 8.0/22.0	ISO 172/016 8.0/22.0	ISO 172/016 8.0/22.0
Order No.	170-014M	170-016M	171-/TF-	171-014M	171-016M	171-018M	171-021M	172-/TF-	172-010M	172-012M	172-014M	172-016M
												
ISO 172/018 8.0/22.0	ISO 172/023 9.0/22.0	ISO 173/014 10.0/24.0	ISO 173/016 10.0/24.0	ISO 173/018 10.0/24.0	ISO 196/010 4.0/19.0	ISO 196/012 4.0/19.0	ISO 196/014 4.0/19.0	ISO 196/016 4.0/19.0	ISO 196/020 5.0/19.0	ISO 196/010 4.0/19.0	ISO 196/012 4.0/19.0	ISO 196/014 4.0/19.0
Order No.	172-018M	172-023M	173-/TF-	173-014M	173-016M	173-018M	196-/CR-	196-010M	196-012M	196-014M	196-016M	196-020M

Diamantbohrer. Diamond burs. Fraises diamantees .Fresas de diamante


	ISO 197/014 6.0/21.0 TR-20	ISO 197/016 6.0/21.0 TR-21	ISO 197/018 6.0/21.0 TR-24	ISO 197/020 6.0/21.0 TR-63		ISO 198/014 8.0/22.0 TR-25	ISO 198/016 8.0/22.0 TR-24	ISO 198/018 8.0/22.0 TR-23		ISO 199/014 10.0/24.0 TR-11	ISO 199/016 10.0/24.0 TR-12
197-/TR-	197-014M	197-016M	197-018M	197-020M	198-/TR-	198-014M	198-016M	198-018M	199-/TR-	199-014M	199-016M

ISO 199/018 10.0/24.0 TR-13	ISO 199/022 10.0/24.0 TR-14		ISO 200/022 11.5/24.0 TR-15	ISO 200/024 11.5/24.0 TR-19		ISO 225/014 4.0/19.0 SI-50	ISO 225/018 5.0/19.0 SI-51		ISO 233/010 2.8/19.0 EX-41		ISO 234/014 4.0/19.0 EX-31
199-018M	199-022M	200-/TR-	200-022M	200-024M	225-/SI-	225-014M	225-018M	233-/EX-	233-010M	234-/EX-	234-014M

	ISO 237/018 5.0/19.0 EX-20	ISO 237/021 5.0/19.0 EX-21	ISO 237/032 5.0/19.0 EX-26		ISO 248/012 6.0/21.0 FO-41	ISO 248/014 6.0/21.0 FO-20		ISO 249/014 8.0/22.0 FO-21	ISO 249/016 8.0/22.0 FO-22		ISO 250/012 10.0/24.0 FO-11
237-/EX-	237-018M	237-021M	237-032M	248-/FO-	248-012M	248-014M	249-/FO-	249-014M	249-016M	250-/FO-	250-012M

	ISO 257/018 3.6/20.0 FO-32	ISO 257/023 5.0/20.0 FO-34	ISO 257/028 4.8/19.0 FO-25	ISO 257/032 4.8/20.0 FO-27		ISO 277/020 3.9/19.0 TR-22	ISO 277/030 5.0/19.0 TR-28		ISO 288/012 6.0/21.0 SO-20		ISO 289/014 8.0/21.0 SO-21
257-/EX-	257-018M	257-023M	257-028M	257-032M	277-/FO-	277-020M	277-030M	288-/SO-	288-012M	289-/SO-	289-014M

	ISO 304/023 1.0/19.0 WR-47	ISO 304/038 1.2/19.0 WR-48	ISO 304/050 1.8/19.0 WR-49		ISO 515/014 8.0/20.0 BC-11		ISO 519/016 8.0/20.0 BC-12
304-/WR-	304-023M	304-038M	304-050M	515 /BC-	515-014M	519 /BC-	519-016M

FG. 314 Super Coarse. 544 ISO No.806 314...544 ... Diamond bur		ISO 198/016 8.0/20.5 198C-016S	ISO 198/021 8.0/19.0 198C-021S	ISO 508/014 8.0/21.5 508T-014S	ISO 508/016 9.0/21.5 508T-016S	ISO 508/021 9.0/20.0 508T-021S
Order No.	Black-/S	198C-016S	198C-021S	508T-014S	508T-016S	508T-021S



ISO 001/014 1.4/19.0 BR-41S	ISO 001/016 1.6/19.0 BR-40S	ISO 001/018 1.8/19.0 BR-31S	ISO 001/020 2.0/19.0 BR-28S	ISO 010/016 1.8/19.0 SI-48S	ISO 039/032 5.0/19.0 EX-11S	ISO 039/035 7.0/20.0 EX-12S	ISO 109/012 4.0/19.0 SF-31S	ISO 109/014 4.0/19.0 SF-42	ISO 111/014 8.0/22.0 SF-12S	ISO 111/016 8.0/22.0 SF-13S	ISO 166/016 10.0/24.0 TC-11S
001-014S	001-016S	001-018S	001-020S	010-016S	039-032S	039-035S	109-012S	109-014S	111-014S	111-016S	166-016S

ISO 166/018 10.0/23.0 TC-16S	ISO 171/016 6.0/21.0 TF-21S	ISO 173/014 10.0/24.0 TF-11S	ISO 173/016 10.0/24.0 TF-12S	ISO 173/018 10.0/24.0 TF-13S	ISO 197/016 6.0/21.0 TR-21S	ISO 199/014 10.0/24.0 TR-11S	ISO 199/016 10.0/24.0 TR-12S	ISO 199/018 10.0/24.0 TR-26S	ISO 237/018 5.0/19.0 EX-20S	ISO 277/020 3.9/19.0 TR-22S
166-018S	171-016S	173-014S	173-016S	173-018S	197-016S	199-014S	199-016S	199-018S	237-018S	277-020S

Diamantbohrer. Diamond burs. Fraises diamantees .Fresas de diamante

FG .314 Coarse.534 ISO No.806 314...534 ... Diamond bur		ISO 001/018 1.8/19.0 BR-31C	ISO 010/014 1.6/19.0 SI-47C	ISO 068/042 2.0/19.0 WR-13C	ISO 111/014 8.0/22.0 SF-12C	ISO 165/014 8.0/22.0 TC-21C	ISO 173/018 10.0/24.0 TF-13C	ISO 190/018 9.5/21.0 FO-54C	ISO 197/018 9.0/20.0 TR-62C	ISO 198/018 9.0/23.0 TR-13C	ISO 257/018 3.6/20.0 FO-32C
Order No.	Green / - C	001-018C	010-014C	068-042C	111-014C	165-014C	173-018C	190-018C	197-018C	198-018C	257-018C

FG .314 Fine.514 ISO No.806 314...514 ... Diamond bur		ISO 001/008 0.8/19.0 BR-49F	ISO 150/012 0.2/21.0 EX-18F	ISO 165/014 8.0/22.0 TC-21F	ISO 166/016 10.0/24.0 TC-11F	ISO 171/016 6.0/21.0 TF-21F	ISO 173/014 10.0/24.0 TF-11F	ISO 173/016 10.0/24.0 TF-12F	ISO 196/016 4.0/19.0 CR-12F	ISO 196/020 5.0/19.0 CR-11F	ISO 197/014 6.0/21.0 TR-20F
Order No.	Red / - F	001-008F	150-012F	165-014F	166-016F	171-016F	173-014F	173-016F	196-016F	196-020F	197-014F

ISO 197/016 6.0/21.0 TR-21F	ISO 197/018 6.0/21.0 TR-24F	ISO 199/014 10.0/24.0 TR-11F	ISO 199/016 10.0/24.0 TR-12F	ISO 199/018 10.0/24.0 TR-13F	ISO 234/014 4.0/19.0 EX-31F	ISO 237/021 5.0/19.0 EX-21F	ISO 249/014 8.0/22.0 FO-21F	ISO 249/016 8.0/22.0 FO-22F	ISO 254/016 3.2/20.0 FO-30F	ISO 289/014 8.0/21.0 SO-21F
197-016F	197-018F	199-014F	199-016F	199-018F	234-014F	237-021F	249-014F	249-016F	254-016F	289-014F

FG .314 Extra Fine.504 ISO No.806 314...504 ... Diamond bur		ISO 001/016 1.6/19.0 BR-40EF	ISO 165/014 8.0/22.0 TC-21EF	ISO 166/016 10.0/22.0 TC-11EF	ISO 171/016 6.0/21.0 TF-21EF	ISO 173/014 10.0/24.0 TF-11EF	ISO 173/016 10.0/24.0 TF-12EF	ISO 196/016 4.0/19.0 CR-12EF	ISO 196/020 5.0/19.0 CR-11EF	ISO 197/016 6.0/21.0 TR-21EF	ISO 197/018 6.0/21.0 TR-24EF
Order No.	Yellow / - EF	001-016EF	165-014EF	166-016EF	171-016EF	173-014EF	173-016EF	196-016EF	196-020EF	197-016EF	197-018EF


ISO 199/014 10.0/24.0 TR-11EF	ISO 199/016 10.0/24.0 TR-12EF	ISO 199/018 10.0/24.0 TR-13EF	ISO 237/021 5.0/19.0 EX-21EF	ISO 243/010 4.3/23.5 FO-40EF	ISO 248/012 6.0/21.0 FO-41EF	ISO 248/014 6.0/21.0 FO-20EF	ISO 249/014 8.0/22.0 FO-21EF	ISO 249/016 8.0/22.0 FO-22EF	ISO 254/016 3.2/20.0 FO-30EF
199-014EF	199-016EF	199-018EF	237-021EF	243-010EF	248-012EF	248-014EF	249-014EF	249-016EF	254-016EF



FG Short Shank 313 Ø1.6mm 16mm


FG Short.313 Standard.524 ISO No.806 313...524 ... Diamond bur	ISO 001/010 1.0/16.0 BR-S45	ISO 001/014 1.4/16.0 BR-S41	ISO 010/012 1.3/16.0 SI-S46	ISO 010/016 1.8/16.0 SI-S48	ISO 165/014 8.0/19.0 TC-S21	ISO 170/010 3.0/16.0 TF-S41	ISO 170/016 4.0/16.0 TF-S31	ISO 171/014 6.0/18.0 TF-S20	ISO 171/018 6.0/17.0 TF-S23	ISO 197/016 6.0/17.0 TR-S21	ISO 249/014 8.0/19.0 FO-S21
Order No.	001-S010M	001-S014M	010-S012M	010-S016M	165-014SM	170-010SM	170-016SM	171-014SM	171-018SM	197-016SM	249-014SM











Colorful plastic box
black, green, blue, red, yellow and white

























N.s.: Pls always supply adequate water to insure dental burs with longest use and best performance!


Diamantbohrer. Diamond burs. Fraises diamantees .Fresas de diamante











FG XL extra long shank 316 $\varnothing 1.6mm$ 













FG XL. 316 (Extra Long) Super coarse ISO 806.316544. Coarse ISO 806.316534. Standard ISO 806.316524. Diamond burs										
	ISO 001/010 1.0/25.0	ISO 001/012 1.2/25.0	ISO 001/014 1.4/25.0	ISO 001/016 1.6/25.0	ISO 001/018 1.8/25.0	ISO 001/021 2.1/25.0	ISO 010/012 1.2/25.0	ISO 042/040 2.0/25.0	ISO 055/045 2.0/25.0	ISO 110/014 6.0/27.0
	BR-X45	BR-X46	BR-X41	BR-X40	BR-X31	BR-X28	SI-X46	WR-X45	WR-X44	SF-X21
	Standard /Blue	001-X010M	001-X012M	001-X014M	001-X016M	001-X018M	001-X021M	010-X012M	042-X040M	055-X045M
Coarse / Green			001-X014C	001-X016C	001-X018C	001-X021C			055-X045C	
Super coarse /Black					001-X018S	001-X021S			055-X045S	

											
ISO 111/012 8.0/28.0	ISO 111/014 8.0/28.0	ISO 111/016 8.0/28.0	ISO 165/014 8.0/28.0	ISO 166/016 10.0/29.0	ISO 173/014 10.0/29.0	ISO 173/016 10.0/29.0	ISO 173/018 10.0/29.0	ISO 198/018 8.0/28.0	ISO 199/016 10.0/29.0	ISO 200/022 11.5/29.0	ISO 225/014 4.0/25.0
SF-X11	SF-X12	SF-X13	TC-X21	TC-X11	TF-X11	TF-X12	TF-X13	TR-X23	TR-X12	TR-X15	SI-X50
111-X012M	111-X014M	111-X016M	165-X014M	166-X016M	173-X014M	173-X016M	173-X018M	198-X018M	199-016XLM	200-X022M	225-X014M
		111-X016C			173-X014C						
					173-X014S						

									
ISO 249/014 8.0/28.0	ISO 249/016 8.0/28.0	ISO 257/018 3.6/25.0	ISO 515/014 8.0/28.0	ISO 519/016 8.0/28.0	ISO 173/014 10.0/29.0	ISO 173/016 10.0/29.0	ISO 173/018 10.0/29.0	ISO 199/014 10.0/29.0	ISO 199/016 10.0/29.0
FO-X21	FO-X22	FO-X32	BC-X11	BC-X12	TF-X11CR	TF-X12CR	TF-X13CR	TR-X11CR	TR-X12CR
249-X014M	249-X016M	257-X018M	515-X014M	519-X016M					
				519-X016C	173-X014CR	173-X016CR	173-X018CR	199-X014CR	199-X016CR

RA / CA shank 204 $\varnothing 2.3mm$ 

RA / CA shank .204 Coarse ISO 806.204534. Standard ISO 806.204524. Fine ISO 806.204514. Diamond burs										
	ISO 001/010 1.0/22.0	ISO 001/012 1.2/22.0	ISO 001/014 1.4/22.0	ISO 001/016 1.6/22.0	ISO 001/023 2.3/22.0	ISO 010/010 1.0/22.0	ISO 010/012 1.2/22.0	ISO 010/014 1.6/22.0	ISO 010/016 1.8/22.0	ISO 109/010 4.0/22.0
	BR-R45	BR-R46	BR-R41	BR-R40	BR-R26	SI-R45	SI-R46	SI-R47	SI-R48	SF-R41
	Standard /Blue	001-R010M	001-R012M	001-R014M	001-R016M	001-R023M	010-R010M	010-R012M	010-R014M	010-R016M
Coarse / Green			001-R014C	001-R016C	001-R023C					
Fine / Red				001-R016F	001-R023F					

											
ISO 109/012 4.0/22.0	ISO 111/012 8.0/24.0	ISO 141/012 8.0/24.0	ISO 141/014 8.0/24.0	ISO 165/014 8.0/24.0	ISO 166/016 10.0/27.0	ISO 198/018 8.0/24.0	ISO 199/016 10.0/27.0	ISO 225/014 4.0/24.0	ISO 225/018 5.0/24.0	ISO 257/018 3.6/24.0	ISO 257/028 4.8/22.0
SF-R31	SF-R11	SR-R11	SR-R12	TC-R21	TC-R11	TR-R23	TR-R12	SI-R50	SI-R51	FO-R32	FO-R25
109-R012M	111-R012M	141-R012M	141-R014M	165-R014M	166-R016M	198-R018M	199-R016M	225-R014M	225-R018M	257-R018M	257-R028M
				165-R014F						257-R018F	